

BECAUSE IMPROVEMENT NEVER STOPS



www.airwco.com

ROLLAIR 40-60, ROLLAIR 40-60 V, ROLLAIR 40-50 V PM OIL-INJECTED SCREW COMPRESSORS

<u>ب</u>

Worthington


🗏 🌧





SUPERIOR BUILD

- Updated, small footprint to save space and reduce noise levels.
- Reliable operation, even in ambient temperatures of up to 46°C.
- The IP66-enclosed drive train provides dependable performance in dusty and humid conditions.
- Maintenance-free components ensure higher uptime and productivity.
- iPM direct drive guarantees premium reliability.



LOW COST OF OWNERSHIP

- On average 30% smaller footprint than most competitors.
- Up to 45% energy savings with the Rollair 40-50 V PM's IE4 iPM motor.
- Integrated direct drive transmission allows for minimal losses.

+ TCO* SAVINGS

PERFORMANCE

SERVICEABILITY

LIFETIME

- Advanced Airlogic²T touchscreen controller maximizes performance and efficiency.

COMPACT & QUIET

The Rollair 40-60, Rollair 40-60 V and Rollair 40-50 V PM can be placed in a compressor room or directly on your production floor. Typically, neither has much room to spare. That is why the units take up very little space. In addition, our 30-45 kW compressors are super silent with sound levels as low as 66 db(A) to protect the health and comfort of your employees.

iPM FOR MAJOR ENERGY SAVINGS

Energy takes up more than 70% of the cost of owning and operating a compressor. Worthington Creyssensac's iPM technology was developed to give you significant energy savings. While traditional compressors only have one speed (100% on), iPM compressors adjust their motor speed to follow the fluctuating air demand that most production environments have. As a result, the Rollair 40-50 V PM delivers up to 45% energy savings. That means you can earn back your choice for the Rollair 40-50 V PM in just one to two years. How's that for a financial no-brainer?



ROLLAIR 40-60 FIXED-SPEED

- On average 30% smaller footprint than most competitors - Gear drive contributes to high reliability in tough conditions - Ideal workhorse for compressor rooms with long duty cycle operation



ROLLAIR 40-60 V + TCO* SAVINGS VARIABLE SPEED PERFORMANCE

- Direct drive (30 kW) and gear drive (37-45 kW) ensure slipfree and reliable VSD operation
- Energy savings of up to 35%
- High IP cubicle rating for reliable operation
- in tough conditions - Payback within 2 years for upgrade from fixed-speed

to VSD



ROLLAIR 40-50 V PM

- Oil-cooled iPM drive train for high performance cooling and best-in-class performance
- Energy savings of up to 45% - iPM motor equals
- IE4 standards - Payback within 1-2 years for upgrade from fixedspeed to iPM



ICONS


INCREASED UPTIME. POWERED BY ICONS

With the Intelligent CONnectivity System (ICONS), you get data and insights from your machines delivered to your computer, tablet or smartphone.

2 | ROLLAIR 40-60



PAYBACK IN 1-2 YEARS



- Increase the reliability of your machine by identifying problems before they become a threat to the continuity of your production.
- Analyze and optimize your energy consumption and CO₂ emissions.
- Receive high-quality energy reports ensuring the ISO50001 compliance of your site.



ADVANCED TECHNOLOGY FOR BEST-IN-CLASS PERFORMANCE

IN-HOUSE DESIGNED IE4 EFFICIENCY AND CLASS H INTERIOR PERMANENT MAGNET (iPM) MOTOR: Maintenance-free; includes innovative oil-cooling technology for optimal performance in up to 46°C.

> **IN-HOUSE DESIGNED** COMPRESSION ELEMENT: Gives you best-in-class Free Air Delivery and Specific Energy Requirement.



IP54 ELECTRICAL CUBICLE: Can withstand up to 60°C and is IP54 protected.

DRIVE TRAIN: IP66-rated for complete protection from dust and moisture.

RADIAL FAN: Gives you improved pressure build-up and quiet operation.

A RANGE OF **OPTIONS**

4 | ROLLAIR 40-60


- ightarrow INTEGRATED ENERGY RECOVERY \rightarrow IE4 FIXED-SPEED MOTOR
- \rightarrow FREEZE PROTECTION


ightarrow ECO6i

- ightarrow FOOD-GRADE OIL
- ightarrow WSD & ELECTRONIC WATER DRAIN
- ightarrow 8000-HOUR PREMIUM SYNTHETIC OIL ightarrow HEAVY-DUTY PRE-FILTRATION

MISSION POSSIBLE: ENERGY EFFICIENCY

Energy constitutes by far the biggest cost of owning and operating a compressor. Luckily, there are many options to minimize the energy consumption of your air system. Technologies such as energy recovery can have a huge impact on your bottom line and your environmental footprint, with energy savings of up to 75%. A holistic view of your compressed air system is key. It starts with the selection of efficient technologies when buying your compressor. But it doesn't end there. Monitoring and analyzing your air system as you use it will often reveal optimization opportunities. Your Worthington Creyssensac representative can help you find those savings.





Worthington Creyssensac stands ready to meet all of your compressed air needs: From the ① compressor itself, to (2) air dryers and (3) line filters, (4) oil-water separators, (5) air receiver buffer storage, (6) our own easy-to-install AIRnet piping system, and 7 a central controller to manage the entire system.

STATE-OF-THE-ART MONITORING, **CONTROL & CONNECTIVITY**

How do you get the most out of your Rollair 40-60, Rollair 40-60 V and Rollair 40-50 V PM? It's all about monitoring, control and connectivity. The state-of-the-art Airlogic²T touchscreen controller gives you on-screen and remote insight into the performance of your compressor so you can optimize its efficiency, reliability and lifetime:

 \rightarrow LARGE 4.3" FULL-COLOR TOUCHSCREEN DISPLAY

ECOntrol6i

 \rightarrow 30+ LANGUAGES

- \rightarrow warning indications and shutdown alarms ightarrow compressor data analysis

ENHANCE YOUR AIR SYSTEM PERFORMANCE WITH THE ECONTROL6i

Are you operating multiple compressors? The Rollair 40-60, Rollair 40-60 V and Rollair 40-50 V PM can be optionally equipped with the **ECOntrol6i** central controller to synchronize your different units. The result: a smooth running air system with a low Total Cost of Ownership.





ONE SOURCE FOR ALL YOUR AIR NEEDS

ightarrow Service status and schedule indication \rightarrow ONLINE VISUALIZATION OF RUNNING CONDITIONS



- Generate energy savings by narrowing the operating pressure band.
- Save on maintenance costs and equalize
- the running hours of your compressors.
- Monitor and control all compressors from one single touchscreen display.
- Optimize your compressors' performance
- by operating different control schemes.
- Control compressors of all types and brands.



TECHNICAL SPECIFICATIONS



ROLLAIR 40-60

| | Max. working | Reference working | Free | Motor | power | Noise | Cooling | Weight | | | |
|------------|-----------------|----------------------|------|------------------------|-------|-------|---------|-----------|---|------|-----|
| Model | pressure | pressure | | reference nditions* | | Motor | power | level *** | air flow | PACK | FF |
| | bar | bar | m³/h | l/s | cfm | kW | hp | db(A) | Cooling air flow m³/h 4900 5000 7950 | kg | |
| | 7.5 | 7.0 | 350 | 97.1 | 206 | | | | | | |
| Rollair 40 | 8.5 | 8.0 | 321 | 89.3 | 189 | 30 | 40 | 66 | 4900 | 553 | 663 |
| Kottan 40 | 10 | 9.5 | 296 | 82.1 | 174 | 50 | 40 | 00 | | | 005 |
| | 13 | 12.5 | 265 | 73.7 | 156 | | | | | | |
| | 7.5 | 7.0 | 421 | 117.0 | 248 | | | 68 | 5000 | 654 | |
| Rollair 50 | 8.5 | 8.0 | 405 | 112.6 | 239 | 37 | 50 | | | | 764 |
| Kottan 50 | 10 | 9.5 | 365 | 101.5 | 215 | 51 | 50 | | | | 104 |
| | 13 | 12.5 | 320 | 88.9 | 188 | | | | | | |
| | 7.5 | 7.0 | 491 | 136.3 | 289 | | | | | 669 | |
| Rollair 60 | 8.5 | 8.0 | 455 | 126.5 | 268 | 45 | 60 | 70 | 7950 | | 787 |
| Rottall 60 | 10 | 9.5 | 419 | 116.4 | 246 | τJ | 00 | 10 | 1930 | | 101 |
| | 13 | 12.5 | 377 | 104.8 | 222 | | | | | | |

ROLLAIR 40-60 V

| Madal | Min. working | Reference working | Motor | | Min. | FAD** | | | Deliver conditi | | Max. FAD** | | Noise level *** | Cooling air flow | Weight | |
|--------------|-----------------|----------------------|-------|----|------|-------|------|-----|--------------------|-----|------------|----------|--------------------|---------------------|--------|-----|
| Model | pressure | pressure | | | 7 k | bar | 7 k | bar | 9.5 | bar | 12.5 | 12.5 bar | | | PACK | FF |
| | bar | bar | kW | hp | m³/h | l/s | m³/h | l/s | m³/h | l/s | m³/h | l/s | db(A) | m³/h | k | g |
| Rollair 40 V | 4 | 13 | 30 | 40 | 65 | 18 | 335 | 93 | 295 | 82 | 248 | 69 | 66 | 4900 | 528 | 638 |
| Rollair 50 V | 4 | 13 | 37 | 50 | 115 | 32 | 410 | 114 | 364 | 101 | 281 | 78 | 68 | 5000 | 678 | 788 |
| Rollair 60 V | 4 | 13 | 45 | 60 | 115 | 32 | 486 | 135 | 425 | 118 | 371 | 103 | 70 | 7950 | 708 | 815 |

ROLLAIR 40-50 V PM

| Model | Min. working | Reference working | Motor | | Min. FAD** | | | | Deliver conditi | | Max. FAD** | | Noise level *** | Cooling air flow | Weight | |
|-----------------|-----------------|----------------------|-------|----|------------|------|------|------|--------------------|-------|------------|------|--------------------|---------------------|--------|-----|
| Model | pressure | pressure | | | 7 k | bar | 7 t | ar | 9.5 | bar | 12.5 | bar | | | PACK | FF |
| | bar | bar | kW | hp | m³/h | l/s | m³/h | l/s | m³/h | l/s | m³/h | l/s | db(A) | m³/h | k | g |
| Rollair 40 V PM | 4 | 13 | 30 | 40 | 51 | 14.1 | 356 | 98.9 | 305 | 84.8 | 251 | 69.6 | 66 | 4900 | 503 | 621 |
| Rollair 50 V PM | 4 | 13 | 37 | 50 | 95 | 26.4 | 428 | 119 | 377 | 104.6 | 303 | 84.3 | 68 | 7750 | 537 | 655 |

* Unit performance measured according to ISO 1217, Annex C, latest edition ** Unit performance measured according to ISO 1217, Annex E, latest edition

*** Noise level measured according to ISO 2151 2004.

DIMENSIONS

| | Length | Width | Height | | |
|------|--------|-------|--------|--|--|
| | mm | mm | mm | | |
| Pack | 1555 | 830 | 1555 | | |
| FF | 2030 | 830 | 1555 | | |



WORTHINGTON CREYSSENSAC'S HERITAGE

Creyssensac was founded in Nanterre (near Paris), France in 1934 by Elie Creyssensac and quickly became renowned in the automotive industry for developing high quality piston compressors. In the mid nineteen sixties, screw compressors were added to the product portfolio while 1973 saw the merge with Worthington. This further expanded the influence of the company in the compressed air world and reinforced the distributor network.

Today, its long-standing experience and continuous innovation ensure Worthington Creyssensac is a trusted partner for its customers.





Contact your local Worthington Creyssensac representative



Care

Care is what service is all about: professional service by knowledgeable people, using high-quality original parts. **Trust**

and long equipment lifetime.

Trust is earned by delivering on our promises of reliable, uninterrupted performance

Efficiency

Equipment efficiency is ensured by regular maintenance. Efficiency of the service organization is how Original Parts and Service make the difference.



